作图ITPS 19 Approved For Release 2002/06/18: CA-RDP85-00988R000400080002-9

1974

Chief, Plans and Programs Staff, OL

Chief, Supply Division, OL

Communications Requirements for 1976, Long-Range Secure-Voice Requirements

REF: Mult adse memo fr D/L dtd 6 Feb 74, same subject

> 1. In response to paragraph 4 of reference, secure-voice services presently available to the Supply Division (SD) and the are as follows:

a.	Office	of	the	Chief	Ε, S	SD:	Green	1ir	1e
extension	n off	KY - 3	100	ated	in	the	Direct	tor	of
Logistic	s offi	ce.							

- The following additional secure-voice service is presently required and should also be programmed for replacement as new systems are developed:
 - Ames Building (OL/SD)
 - 2 extensions (1)OL/SD/SMB
 - (2) OL/SD/CCDB 1 extension
 - (3) OL/SD/IDSB 1 extension
 - OL/SD/OSB (4) 1 extension

It is recommended that a KY-3 be installed in SD to meet the Division's total need. As a temporary measure and due to an increase in number of calls being received on the extension located in C/SD's office, we have an immediate need for a second instrument (off C/SD's extension) in the outside office area. This will allow use of the green phone by other personnel without interrupting C/SD.

Approved For Release 2002/06/18: CIA-RDP85=00988R000400080002-9

25X1

OL 4 08181

25X1

SUBJECT:	Communications	Requirements	for	1976	Long-Range
	Secure-Voice	Requirements			

25X1A

25X1

- ment for overseas secure-telephone service. The secure service required for local calls should allow for discussions at a security level of secret. Provision for conference calls between Ames, Headquarters, Pentagon, and NSA is desirable, but not a definite requirement.
- 5. It is our understanding that the Office of Joint Computer Support is making, or has made, the necessary arrangements for the data link terminals for the DAC.

6. Other communications services available are as follows:

	Service	SD	
C. .	Black lines Instruments (Black line) Call director (key box) Unlisted numbers GSA line (962)	29 69 1 2 1 2	87* 138* 0 2 0 0 0

*Includes services utilized by

This service appears to be adequate for our requirements.

Provisions were made during the recent renovations on the

11th floor, Ames Building, for those positions being transferred

from ______With the transfer of the Stock Control Branch, _____ 25X1

Approved For Release 2002/06/16 CAHDP85-00988R000400080002-9

25X1

25X1

25X1A

25X1

Approved For Release 2002/06/18 : CIA-RDP85-00988R000400080002-9

SUBJECT: Communications Requirements for 1976 Long-Range Secure-Voice Requirements

on 4 March 1974, a realignment in p necessary and will result in a red instruments plus an undetermined n	uction of approximately 16 25X1A umber of lines.
7. Please contact if additional information is desired	ed. 25×1A
	25X1A